

SAFETY DATA SHEET: Barricade

1. IDENTIFICATION

Product Name: Barricade
Other Names: Insecticide
Recommended Use: Agricultural Adjuvant
Distributor: Key Industries Ltd
Address: P.O. Box 65070, Mairangi Bay, Auckland 0754
Telephone: 09 917 1791
Emergency Phone: 027 494 1659
National Poisons Centre: 0800 POISON (0800 764 766)

2. HAZARDS IDENTIFICATION

Hazard Classifications: 3.1D, 6.1D, 6.3B, 6.4A, 6.5A, 6.5B, 6.9B, 9.1A, 9.3B, 9.4A
Hazards: Combustible liquid.
Harmful if swallowed.
Causes mild skin irritation.
May cause an allergic skin reaction.
Causes serious eye irritation.
May cause allergy or asthma symptoms or breathing difficulties if inhaled.
May cause damage to organs through prolonged or repeated exposure.
Very toxic to aquatic life with long lasting effects.
Toxic to terrestrial vertebrates.
Very toxic to terrestrial invertebrates

3. COMPOSITION: INFORMATION ON INGREDIENTS

Ingredients	CAS Number	Concentration (%w/w)
Permethrin	52645-53-1	43.8
Other non-hazardous materials	Proprietary	To 100%

PA Right to Know: This product contains proprietary ingredients

4. FIRST AID MEASURES

Consult the National Poisons Information Centre 0800 POISON (0800 764 766) or a doctor in every case of suspected chemical poisoning. Never give fluids or induce vomiting if a patient is unconscious or convulsing regardless of cause of injury. If breathing difficulties occur seek medical attention immediately.

Swallowed

If swallowed, do not induce vomiting. If conscious and alert, rinse mouth and drink 1-2 cupfuls of water. Begin artificial respiration if the victim is not breathing. Use mouth to nose rather than mouth to mouth. Obtain urgent medical attention.

Skin Contact

Immediately wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash clothing before reuse. Destroy contaminated shoes and other contaminated leather articles such as belts and watchbands. Seek medical attention.

Eye Contact

Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Remove contact lenses if present and easy to do and continue rinsing. Do NOT allow victim to rub eyes or keep eyes closed. Obtain urgent medical attention.

Inhalation

Move the victim to fresh air immediately. Begin artificial respiration if breathing has stopped. Obtain medical attention immediately.

EMERGENCY PHONE: KEY INDUSTRIES LTD (Frank Visser, Managing Director): 0274 941 659

Date of Issue: 21 November 2013
Date for Revision: December 2017

Emergency Number: 027 4941659

SAFETY DATA SHEET: Barricade

4. FIRST AID MEASURES - Continued

First Aid facilities

Provide eye baths and safety showers close to areas where exposure may occur

Medical Attention

The decision to induce vomiting should be made by a physician because rapid absorption of this material can occur through the lungs after aspiration from vomiting. Aspiration of the lungs may cause chemical pneumonia with solvent present. Some clinicians prefer activated charcoal alone instead of gastric lavage in patients who require GI decontamination. Gastric lavage may be indicated if ingested. Treat symptomatically and supportively, monitoring the development of hypersensitivity reactions with respiratory distress. No known antidote. Do not confuse with cholinesterase poisoning. Paraesthesia from skin contact can be partially alleviated by the application of a vitamin E containing moisturising cream. In all cases consult the National Poisons Centre for the most up to date treatment information.

5. FIRE FIGHTING MEASURES

Shut off product that may 'fuel' a fire if safe to do so. Allow trained personnel to attend a fire in progress, providing fire fighters with this Safety Data Sheet. Prevent extinguishing media from escaping to drains and waterways.

Suitable extinguishing media

Water fog, fine spray, alcohol resistant foam, dry chemical powder or carbon dioxide. Do not use water stream directly as this may spread fire or give a violent steam eruption. Cool fire exposed container with water spray.

Hazards from combustion products

Decomposition from combustion will emit acrid smoke and toxic fumes containing carbon oxides and hydrogen chloride (Cl-).

Precautions for fire fighters and special protective equipment

Full protective clothing with chemical goggles, butyl or neoprene gloves and self-contained breathing apparatus

Hazchem Code 3Z

Flash Point <100°C

6. ACCIDENTAL RELEASE MEASURES

Emergency Procedures

Prevent product from escaping to drains and waterways. Contain leaking packaging in a containment vessel or bunded area. Prevent any vapours or dust from building up in confined areas. Ensure that drain valves are closed at all times. Clean up minor spills immediately.

Methods and materials for containment for a major spill

Eliminate sources of ignition. Warn occupants of downwind areas of possible hazards. Keep the public away from the area. Prevent product from entering sewers, watercourses, or low-lying areas. Shut off the source of the spill if safe to do so. Advise relevant authorities if substance has entered a watercourse or sewer or has contaminated soil or vegetation. Take measures to minimise the effect on the groundwater. If possible recover product using a pump paying attention to flammability hazards or absorbent material. Collect and seal in properly labelled containers for disposal. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations. In all instances due consideration must be given for First Aid Measures (Section 4), PPE requirements (Section 8), Stability and Reactivity (Section 10) for this material

SAFETY DATA SHEET: Barricade

7. HANDLING AND STORAGE

Precautions for safe handling

Keep out of reach of children. This product is volatile, potentially resulting in the creation of explosive mixtures with air. Keep containers closed. Avoid sources of ignition including smoking. Use only in well-ventilated areas. When handling do not eat, drink or smoke. Wash hands thoroughly after handling. Wash clothing separately before reuse.

Conditions for safe storage

Store in a cool, dry place away from direct sunlight. Keep away from heat and ignition sources. Store in original containers. Protect from physical damage to prevent accidental release. Do not store with food, feedstuffs, fertilizers and seeds.

Incompatible materials

Natural Rubbers.

Fire Extinguisher Requirements

Fire extinguishers (2 of) are required for every 500L aggregate quantity of this and any other class 3.1D substance according to the Hazardous Substances (Emergency Management) Regulations 2001.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limits

No WES TEL or EEL has been set by ERMA for this product.

Engineering Controls:

The use of local exhaust ventilation is recommended to control process emissions near the source. Sufficient ventilation should be provided to keep the solvent in air concentrations below any relevant exposure limit. Provide mechanical ventilation of confined spaces. Explosion proof electrical equipment recommended but not required based on the flashpoint of this material.

Hygiene Controls:

Facilities storing or utilising this material should be equipped with an eyewash facility, safety shower and facility for washing hands/face after work.

Personal Protective Equipment

Respiratory Protection: When handling this material it is recommended to use an approved respirator or half face mask complying with OSH and other relevant standards

Eye protection: Always use safety glasses or a chemical goggles when handling this product. Contact lenses may absorb and concentrate irritants, glasses are recommended.

Skin/ Body Protection: Always wear long sleeves and long trousers or coveralls, and enclosed footwear of safety boots when handling this product. It is recommended that chemical resistant gloves (eg nitrile, neoprene) be worn when handling this product. Section 4. Wash contaminated clothing before use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Golden liquid with sweet fruit like odour
Boiling Point (°C):	>190
Melting Point(°C):	NA
Flash Point(°C):	<100
Lower Explosive Limit, LEL (%):	No data available
Upper Explosive Limit, UEL (%):	No data available
SG/ Density, 20°C (g/mL):	1.135 – 1.145
Vapour Pressure, 20°C (kPa):	>1
Alkalinity/ acidity as pH:	Not applicable

EMERGENCY PHONE: KEY INDUSTRIES LTD (Frank Visser, Managing Director): 0274 941 659

Date of Issue: 21 November 2013

Date for Revision: December 2017

Emergency Number: 027 4941659

SAFETY DATA SHEET: Barricade

Solubility in water: Forms an emulsion

The values listed are indicative of this product's physical and chemical properties. For a full product specification, please consult Key Industries

10. STABILITY AND REACTIVITY

Chemical stability:	Stable at room temperature and pressure.
Hazardous decomposition products	Decomposition from combustion will emit acrid smoke and toxic fumes containing carbon oxides and hydrogenchloride.
Specific Materials to Avoid	Strong acids, alkalis, oxidising agents, reducing agents and heat.
Hazardous Polymerisation	Not known to occur.

11. TOXICOLOGICAL INFORMATION

Acute Effects

Ingestion: Moderate toxicity if swallowed. Symptoms include burning sensations in the mouth, headache, dizziness, drowsiness, diarrhoea, nausea, vomiting, listlessness, stomach pain, muscular twitching or arms or legs. Swallowing large quantities can result in confusion, convulsions, coma, seizures and death. Aspiration of the lungs can occur during vomiting leading to lung damage or death due to chemical pneumonitis. Contact a doctor immediately

Eye Contact: The liquid is irritating to the eyes and may result in corneal injury. Avoid eye contact.

Skin Contact: Mildly irritating. Contact with the skin, especially the face, may result in initial stinging or burning sensations (parasthesia) followed by numbing which may persist for up to 24 hours in highly susceptible persons. The active ingredient is a contact sensitizer. Avoid skin contact.

Inhalation: The vapour/mist is discomforting to the upper respiratory tract and lungs. Acute effects from inhalation of high vapour concentrations may cause effects similar to that of ingestion. Following inhalation, a stuffy, runny nose and scratchy throat are common. Hypersensitivity reactions including wheezing, sneezing, shortness of breath and bronchospasm may be noted. The active ingredient is a respiratory sensitizer.

Chronic Effects

Chronic solvent inhalation exposures may result in nervous system impairment and liver and blood changes. Prolonged or repeated exposure may result in central nervous system effects as a result of plasma cholinesterase depression. Prolonged or repeated skin contact may cause drying with cracking, irritation and possible dermatitis. Sensitisation may occur with prolonged or repeated exposure. Persons with pre-existing conditions are advised to limit or avoid product contact.

Other Health Effects Information

Not Available.

Toxicological Information

Oral LD50: 220 mg/kg (rat), permethrin active ingredient; 433 mg/kg (product, estimated)

Dermal LD50: No data available

Inhalation LC50: 121.7 mg/L (product, estimated)

SAFETY DATA SHEET: Barricade

12. ECOLOGICAL INFORMATION

Ecotoxicity

This product is highly toxic to the environment, with the potential to result in irreparable and irreversible effects. See hazard classifications in section 15 of this document. No specific ecological data available on this product.

Persistence/ Biodegradability: log P: 6.1. This substance is regarded as bioaccumulative, but non-persistent by ERMA.

Mobility: This product is not readily soluble with water limiting its mobility in the environment. This product is likely to have low mobility in the environment and low leaching potential

Aquatic Toxicity:

Fish toxicity	LC50: 0.0001 mg/L; permethrin active ingredient
Crustacean	EC50: 0.00055 mg/L; permethrin active ingredient
Honeybee:	0.024 µg/bee; permethrin active ingredient

13. DISPOSAL CONSIDERATIONS

Product Disposal

Dispose of product only by using according to label or using an approved waste disposal contractor. If this material as supplied becomes a waste care should be taken to ensure compliance with national and local authorities. It is the responsibility of the waste generator to determine the toxicity and physical properties of the waste generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Do not dispose of via municipal sewers, drains, natural streams or rivers

Packaging Disposal

Triple rinse container and add rinsate to the spray tank. Empty packaging should be taken for recycling, recovery or disposal through a suitably qualified or licensed contractor. Care should be taken to ensure compliance with national and local authorities. Packaging may still contain product residue that may be harmful. Incinerate via approved incinerators or crush and bury in an approved landfill. Ensure that empty packaging is managed in accordance with Dangerous Goods and HSNO regulations.

14. TRANSPORT INFORMATION

UN No:	UN3082
Proper Shipping Name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, NOS (Contains permethrin)
DG Class:	9
Subsidiary Risk:	NA
Packing Group:	III
Haz chem Code:	3Z
Dangerous Goods Segregation:	This product is classified as Dangerous Goods by Road and Rail. Please consult the Land Transport Rule: Dangerous Goods 2005, and NZS 5433:1999 Transport of Dangerous Goods on Land for further information.

SAFETY DATA SHEET: Barricade

15. REGULATORY INFORMATION

Country/ Region:	New Zealand
ACVM Approval Number:	N/A
ERMA Approval Number:	HSR000304
HSNO Classifications:	3.1D Flammable Liquid ; 6.1D Acute Toxicity (Oral); 6.3B: Skin Irritant; 6.4A Eye Irritant; 6.5A Sensitizer (Respiratory); 6.5B Sensitizer (Contact); 6.9A Target Organ Toxicant; 9.1A Aquatic Ecotoxicant; 9.3B Ecotoxicant: Terrestrial Vertebrate; 9.4A Ecotoxicant Terrestrial Invertebrate
HSNO Controls:	Trigger Quantities for this Material:
• Approved Handler Test Certificate:	Required if applied – see label
• Location/Transit Depot Certificate:	Not required
• Hazardous Atmosphere Zone:	Not required
• Signage:	100 L
• Emergency Plan, Secondary Containment:	100L
• Tracking:	Not required

The trigger quantities above must take into account any other hazardous substance that is present at that location. This represents a partial list of the controls for this material.

Contact Key Industries Ltd a full list of HSNO controls for this material.

16. OTHER INFORMATION

Reasons for Issue:

Update format and content to comply with legislation

Abbreviations:

TWA - the highest allowable exposure concentration in an eight-hour day for a five-day working week

STEL - maximum allowable exposure concentration at any time

CAS Number: Chemical Abstracts Number

ERMA: Environmental Risk Management Authority

HSNO: Hazardous Substances and New Organisms

References:

- ☐ Supplier Safety Data Sheets
- ☐ Hazardous Substances Databank
- ☐ ERMA Chemical Classification Information Database
- ☐ FOOTPRINT Pesticides Database

The information sourced for the preparation of this document was correct and complete at the time of writing to the best of the supplier's knowledge. Each user should read this SDS and consider the information in the context of how the product will be handled and used in the workplace. The document represents the commitment to the company's responsibilities surrounding the supply of this product, undertaken in good faith. This document should be taken as a safety guide for the product and its recommended uses, but is in no way an absolute authority. Please consult the relevant legislation and regulations governing the use and storage of this type of product. For further information, please contact Key Industries Limited.

EMERGENCY PHONE: KEY INDUSTRIES LTD (Frank Visser, Managing Director): 0274 941 659

Date of Issue: 21 November 2013
Date for Revision: December 2017

Emergency Number: 027 4941659



Key Industries

Protecting people, crops and native species

BarricadeTM 500_{EC} **Insecticide**



BarricadeTM 500_{EC} **Insecticide**

Key Industries Ltd

3/44L Constellation Drive PO Box 65070,
Mairangi Bay, Auckland 0754

Tel 09 917 1791 0800 539 463 Fax 09 917 1793

Email sales@keyindustries.co.nz

Web www.keyindustries.co.nz



NEW ZEALAND MADE



www.keyindustries.co.nz

 **ALWAYS READ THE LABEL BEFORE USE**

BarricadeTM 500^{EC}

GENERAL INFORMATION

Barricade contains 500gm/L permethrin as an emulsifiable concentrate.

Barricade: a residual insecticide for the control of household pests in domestic, industrial and public health areas, as well as the remedial treatment of timber in buildings and the disinsection of aircraft.

Compatibility: Barricade is compatible with most pest control products and adjuvants such as Sprayfast.

MPI approved type B (all animal product except dairy)

AssureQuality approved Category B & C Food/beverage/dairy factory and storage areas (Category B & C point apply)

PESTS CONTROLLED

Borer – Remedial and protective barriers for wood surfaces.

Ants – spray nests, trails and around dwellings, drains, wherever ants are seen.

Cockroaches – spray cracks and crevices, behind sinks, under appliances, walls, skirting boards.

Fleas – Floors, carpets, kennels, pet bedding and adjacent walls. Can be mixed with Sumilarv for long term control.

Flying insects – spray exposed surfaces where flying insects may rest.

Spiders – Spray webs and known hiding places and exposed surfaces where spiders are seen.

Silverfish – Locate the source of infestation and spray. If unable to locate source spray all surfaces that the silverfish are likely to travel.




Directions for use

Situations	Insect pest	Rates per 100m ²	Critical comments
Houses, flats, factories, shops, warehouses, restaurants, meat and dairy processing plants	Ants, cockroaches, fleas, flies, mosquitoes, spiders and silverfish	25ml/5L water.	Apply as a fine spray at the rate of 5L/100m ² , or to the point before runoff, which will vary with the nature of the treated surface. If less than 5L of spray solution is applied per 100m ² , the concentration of the active ingredient in the spray mix should be increased accordingly
Carpets, rugs and fabrics	Carpet beetles and clothes moth	25ml/5L water	Apply sufficient diluted spray to penetrate the carpet pile or fabric (50ml/m ²). Test treat a small area first to ensure that no damage or staining will occur
Thermal fogging warehouses and silos, limited residual control	Flying insects and crawling insects in harbourages	Apply 50–100ml/1000m ³ with Fog It TM	Mix Barricade at a rate of 100ml in 100–200ml of Fog It TM . Water may be partly substituted for fogging agent if a wetter fog is desired. Apply 200–300ml of diluted product per 1000m ³
Aircraft	Cockroaches, moths, beetles and mosquitoes	Initial treatment: apply 200ml/5L water. Routine (monthly) treatments: 100ml/5L water	Apply to carpets and other fabrics at 25ml/m ² of spray mix and other surfaces at 10ml/m ²
Repellent treatment of fabric and mosquito nets excluding clothing	Mosquitoes and biting flies	Nylon, 15ml/500ml water Cotton & cotton blends, 15ml/2L water Canvas horse rugs, 15ml/500ml water	The dilution rate depends on the uptake rate of the material. Dip thoroughly for 2 minutes. Drain then dry preferably laid flat on a non-absorbent surface. Horse rugs should be sprayed until run-off and allowed to dry before putting on the horse
Remedial treatment of timber in buildings	Common house borer, Powder post beetle, longhorn beetles, dry wood termites (<i>Kalotermes browni</i>)	40ml/10L of non-staining oil or kerosene. Water may be used as a diluent and the spray solution will be non-flammable	Apply to absorptive surfaces. Varnished or painted surfaces need to be sanded down to ensure penetration. Always add Barricade to the oil, kerosene or water and apply a coarse spray directly onto exposed timber surfaces. Barricade may be painted on at rates of 200–300ml/m ² of spray solution. Barricade may also be injected directly into individual borer holes.



Ministry for Primary Industries

Manatū Ahu Matua



28 August 2014

Key Industries Ltd.
44L Constellation drive
Mairangi Bay
AUCKLAND 0632

Trade Name: Barricade
Description: Insecticide
Code: Type B

Approvals:

This compound is approved for use in premises processing all animal product except dairy, operating under the Animal Products Act regime.

This approval is under the following regulations and notices, subject to the conditions stated in this approval.

1. Regulation 11(4)(b) of the Animal Products Regulations 2000 and Regulation 18(4)(b) of the Animal Products (Regulated Control Scheme - Limited Processing Fishing Vessels) Regulations 2001
2. Clause 4(1) of the Animal Products (Specifications for Limited Processing Fishing Vessels) Notice 2005, Clause 3(1) of the Animal Products (Specifications for Products Intended for Human Consumption) Notice 2004, Clause 4(1) of the Animal Products (Specifications for Products Intended for Animal Consumption) Notice 2006

Conditions:

1. This insecticide is not permitted in any edible product area or any area where edible product or packaging material is stored.
2. It must be used in a manner that prevents the entry of the insecticide into edible product areas or stores containing packaging material.

This approval may be withdrawn at any time due to unapproved directions for use, or unsatisfactory performance, or any change in product formulation. The Branch Planning, Systems & Support Directorate must be notified if the holder of this approval wishes to transfer their products to another entity.

The product must be used in accordance with the manufacturer's instructions and specifications. The label may include a statement to the effect that the product is approved for use in premises registered under the Animal Products Act regime. Any statements made, however, must include the approval code and must be limited to the following unless otherwise specified:

MPI Approved Type B(All animal product except dairy)

Growing and Protecting New Zealand

Regulation and Assurance Branch

Branch Planning, Systems & Support Directorate

Pastoral House, 25 The Terrace, PO Box 2526, Wellington 6140, New Zealand

Telephone: 0800 00 83 33, Facsimile: 64-4-894 2566


www.mpi.govt.nz

This approval must not be used as a Ministry for Primary Industries (MPI) endorsement of any claim made for the product by the manufacturer.

This approval will remain valid until 31 October 2019 unless the approval is revoked by notice in writing at an earlier stage.

Any queries regarding this approval should be directed to MPI Approvals by either telephone on 04 894 2550 or by e-mail at approvals@mpi.govt.nz.

Yours sincerely,

A handwritten signature in black ink, appearing to read 'Maree Zinzley', with a stylized flourish at the end.

Maree Zinzley
Manager Approvals Operations
Ministry for Primary Industries